according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23-Oct-2019 Print date: 24-Oct-2019

Version: 2 Page 1/10



ALBILEX-SUPER-des

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1. Product identifier

Trade name/designation:

ALBILEX-SUPER-des

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

chemical reagent

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

ALBILEX GmbH & Co. KG

Achtzehnmorgenweg 3

61250 Usingen

Telephone: +49-6081-10400 Telefax: +49-6081-104040 E-mail: info@albilex.de Website: www.albilex.de

1.4. Emergency telephone number

+49-6081-10400 (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification pro cedure
Acute toxicity (oral) (Acute Tox. 4)	H302: Harmful if swallowed.	
Skin corrosion/irritation (Skin Irrit. 2)	H315: Causes skin irritation.	
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	
Acute toxicity (inhalative) (Acute Tox. 4)	H332: Harmful if inhaled.	
STOT-single exposure (STOT SE 3)	H335: May cause respiratory irritation.	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] **Hazard pictograms:**





GHS05

GHS07 Corrosion **Exclamation mark**

Signal word: Danger

Hazard components for labelling:

hydrogen peroxide

hazard statements for health hazards		
H302 + H332	Harmful if swallowed or if inhaled.	
H315	Causes skin irritation.	
H318 Causes serious eye damage.		

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23-Oct-2019 Print date: 24-Oct-2019

Version: 2 Page 2/10



ALBILEX-SUPER-des

hazard statements for health hazards	
H335 May cause respiratory irritation.	

Supplemental Hazard information (EU): -

Precautionary statements Prevention		
P280	Wear protective gloves/protective clothing/eye protection/face protection.	

Precautionary statements Response		
P301 + P312	IF SWALLOWED: Call a POISON CENTER/doctor// if you feel unwell.	
P302 + P352	IF ON SKIN: Wash with plenty of water/Soap.	
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	

Precautionary statements Storage		
P405	Store locked up.	

2.3. Other hazards

No data available

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concen- tration
CAS No.: 7722-84-1 EC No.: 231-765-0 REACH No.: 01-2119485845-22-XXXX	hydrogen peroxide Acute Tox. 4, Ox. Liq. 1, Skin Corr. 1A Danger H271-H302-H314-H332	48 - ≤ 49.9 Wt %

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious place in recovery position and seek medical advice. Do not leave affected person unattended. Warning First aider: Pay attention to self-protection!

Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician. Get medical advice/attention. Get medical advice/attention if you feel unwell.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

After ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell

Self-protection of the first aider:

Use personal protection equipment. No direct artificial respiration to be given by first aider.

4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation, Serious eye damage/eye irritation, Irritation to respiratory tract

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23-Oct-2019 Print date: 24-Oct-2019

Version: 2 Page 3/10



ALBILEX-SUPER-des

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media:

Extinguishing powder, Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

Risk of explosion of closed containers due to gas development inside at higher temperatures.

Hazardous combustion products:

In case of fire: Gases/vapours, toxic

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

Water (with cleaning agent), Pump away bigger amounts. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Wash with plenty of water. Spilled product must never be returned to the original container for recycling. Provide adequate ventilation. Collect in closed and suitable containers for disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

Do not dispose of as domestic waste. Small amounts (several grams) can be given to the sewage system after dilution 1:100 with water. Bigger amounts must be treated as special waste.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23-Oct-2019 Print date: 24-Oct-2019

Version: 2 Page 4/10



ALBILEX-SUPER-des

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8). Put lids on containers immediately after use. Ensure good ventilation / exhaustion at the workplace. When using do not eat, drink or smoke. Wash hands before breaks and after work. Contaminated work clothing should not be allowed out of the workplace. Immediately remove any contaminated clothing, shoes or stockings. Draw up and observe skin protection programme.

Fire prevent measures:

No special measures are necessary.

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels:

Store dark. Do not keep the container sealed. Suitable material for Container: Polyethylene, PP (Polypropylene)

Storage class: 5.1B - Oxidising substances

Further information on storage conditions:

Store dark. Protect against direct sunlight. Keep away from heat. Keep in a cool, well-ventilated place.

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	 long-term occupational exposure limit value short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark
ACGIH (US)	hydrogen peroxide CAS No.: 7722-84-1	① 1 ppm (1.4 mg/m³)
DFG (DE)	hydrogen peroxide CAS No.: 7722-84-1	① 0.5 ppm (0.71 mg/m³) ② 0.5 ppm (0.71 mg/m³)

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type
		2 Exposure route
hydrogen peroxide	1.4 mg/m ³	① DNEL worker
CAS No.: 7722-84-1		② inhalative, long-term, local
hydrogen peroxide	0.21 mg/m ³	① DNEL Consumer
CAS No.: 7722-84-1		② inhalative, long-term, local
hydrogen peroxide	3 mg/m³	① DNEL worker
CAS No.: 7722-84-1		② inhalative, short-term, local, (acute)

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23-Oct-2019 Print date: 24-Oct-2019

Version: 2 Page 5/10



ALBILEX-SUPER-des

Substance name		① DNEL type② Exposure route
hydrogen peroxide CAS No.: 7722-84-1	1.93 mg/m ³	① DNEL Consumer ② inhalative, short-term, local, (acute)

Substance name	PNEC Value	① PNEC type
hydrogen peroxide CAS No.: 7722-84-1	12.6 μg/l	① PNEC aquatic, freshwater
hydrogen peroxide CAS No.: 7722-84-1	12.6 μg/l	① PNEC aquatic, marine water
hydrogen peroxide CAS No.: 7722-84-1	4.66 mg/l	① PNEC sewage treatment plant
hydrogen peroxide CAS No.: 7722-84-1	0.047 mg/kg	① PNEC sediment, freshwater
hydrogen peroxide CAS No.: 7722-84-1	0.047 mg/kg	① PNEC sediment, marine water
hydrogen peroxide CAS No.: 7722-84-1	13.8 μg/l	① PNEC aquatic, intermittent release
hydrogen peroxide CAS No.: 7722-84-1	0.0023 mg/ kg	① PNEC soil, freshwater

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment

Eye/face protection:

Eye glasses with side protection DIN EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: NBR (Nitrile rubber), Butyl caoutchouc (butyl rubber)

Thickness of the glove material: 0,65 mm; 0,4 mm; 0,7 mm

Breakthrough time (maximum wearing time): > 8 h

In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

Respiratory protection:

Respiratory protection necessary at: vapour / Aerosol Suitable respiratory protection apparatus: NO-P3

Other protection measures:

Protective clothing: Chemical resistant safety shoes, Chemical protection clothing acid-resistant General health and safety measures: When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. Take off immediately all contaminated clothing. Do not breathe gas/vapour/aerosol. Avoid contact with skin. Avoid contact with eyes. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

8.2.3. Environmental exposure controls

Avoid release to the environment. Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid Colour: colourless

Odour: not determined

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23-Oct-2019 Print date: 24-Oct-2019

Version: 2 Page 6/10



ALBILEX-SUPER-des

Safety relevant basis data

parameter		at °C	Method	Remark
рН	1.5	20 °C		
Melting point	not determined			
Freezing point	not determined			
Initial boiling point and boiling	114 °C			
range				
Decomposition temperature	not determined			
Flash point	not determined			
Evaporation rate	not determined			
Auto-ignition temperature	not determined			
Upper/lower flammability or explosive limits	not determined			
Vapour pressure	12 hPa			
Vapour density	> 1	20 °C		
Density	1.1 - 1.2 g/cm ³	20 °C		
Bulk density	not determined			
Water solubility	easily soluble			
Partition coefficient: n-octanol/ water	-1.57			
Dynamic viscosity	1.17 - 1.249 mPa*s			
Kinematic viscosity	not determined			

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product itself does not burn.

10.2. Chemical stability

Store dark. Keep away from heat. Heating. No decomposition on normal use

10.3. Possibility of hazardous reactions

Exothermic, self accelerating decomposition reaction develops oxygen gas. Containers may burst due to rising gas pressure

Ignition hazard: u. a. Hydrazine, Ether, Oxidizing agent, Brass, Alkali metals, Alkaline earth metal, metals, Metal oxide, aldehydes, Alcohols, Amines, Ammonia (NH3), Acids, Alkali (Iye), concentrated, Acetone, Acetaldehyde, lead, Acetic acid, Acetic anhydride, potassium permanganate, Methanol, Sodium, Phosphorus oxides, Sulphuric acid, concentrated, Heavy metals Exothermic reaction with: Alkali (Iye), metals, Nitric acid

10.4. Conditions to avoid

Heating. Store dark.

10.5. Incompatible materials

Heavy metals, Alkali (lye), Combustible substance

10.6. Hazardous decomposition products

In case of fire: Gases/vapours, toxic

Risk of explosion of closed containers due to gas development inside at higher temperatures. No known hazardous decomposition products.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23-Oct-2019 Print date: 24-Oct-2019

Version: 2 Page 7/10



ALBILEX-SUPER-des

SECTION 11: Toxicological information

11.1. Information on toxicological effects

CAS No.	Substance name	Toxicological information
7722-84-1	hydrogen peroxide	LD ₅₀ oral:
		693.7 - 1,270 mg/kg (Ratte)
		LD ₅₀ dermal:
		2,000 mg/kg (Rabbit)

Acute oral toxicity:

Harmful if swallowed.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Harmful if inhaled.

Skin corrosion/irritation:

Causes burns.

Serious eye damage/irritation:

Causes serious eye damage.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

May cause respiratory irritation.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

SECTION 12: Ecological information

12.1. Toxicity

CAS No.	Substance name	Toxicological information
7722-84-1	hydrogen peroxide	LC₅₀: 16.4 mg/l 4 d (fish)
		EC ₅₀ : 1.38 mg/l 3 d (Algae/water plant)
		NOEC: 0.63 mg/l 21 d (crustaceans)
		LC ₅₀ : 2.4 mg/l 2 d (crustaceans)
		LOEC: 1.25 mg/l 21 d (crustaceans)

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

Partition coefficient: n-octanol/water:

-1.57

12.4. Mobility in soil

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23-Oct-2019 Print date: 24-Oct-2019

Version: 2 Page 8/10



ALBILEX-SUPER-des

12.5. Results of PBT and vPvB assessment

CAS No.	Substance name	Results of PBT and vPvB assessment
7722-84-1	hydrogen peroxide	_

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment options

Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO- TI / IATA-DGR)
14.1. UN-No.			
UN 2014	UN 2014	UN 2014	UN 2014
14.2. UN proper shi	pping name		
HYDROGEN PEROXIDE, AQUEOUS SOLUTION	HYDROGEN PEROXIDE, AQUEOUS SOLUTION	HYDROGEN PEROXIDE, AQUEOUS SOLUTION	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
14.3. Transport haz	ard class(es)		
(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(a) (a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
5.1 8	5.1 8	5.1 8	5.1 8
14.4. Packing group)		J
II	II	II	
14.5. Environmenta	l hazards		_
No	No	No	No
14.6. Special precau	utions for user		
Limited quantity (LQ): 1 L Excepted Quantities (EQ): E2 Hazard identificati on number (Kemler No.): 58 Classification code: OC1 tunnel restriction code: (E) Remark:	Limited quantity (LQ): 1 L Excepted Quantities (EQ): E2 Classification code: OC1 Remark:	Special provisions: - Limited quantity (LQ): 1 L Excepted Quantities (EQ): E2 EmS-No.: F-H, S-Q Remark:	Special provisions: A2 A75 Remark:

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23-Oct-2019 Print date: 24-Oct-2019

Version: 2 Page 9/10



ALBILEX-SUPER-des

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive], Hazard categories:

• P8 Oxidizing liquids, Category 1, 2 or 3, Or oxidizing solids, Category 1, 2 or 3

15.1.2. National regulations

[DE] National regulations

Restrictions of occupation

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Störfallverordnung

for substances contained in the product:

Hazard categories:

P8 Oxidizing liquids, Category 1, 2 or 3, Or oxidizing solids, Category 1, 2 or 3

Water hazard class (WGK)

WGK:

1 - schwach wassergefährdend

15.2. Chemical Safety Assessment

No data available

SECTION 16: Other information

16.1. Indication of changes

2.1.	Classification of the substance or mixture
2.2.	Label elements

16.2. Abbreviations and acronyms

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification pro cedure
Acute toxicity (oral) (Acute Tox. 4)	H302: Harmful if swallowed.	
Skin corrosion/irritation (Skin Irrit. 2)	H315: Causes skin irritation.	
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	
Acute toxicity (inhalative) (Acute Tox. 4)	H332: Harmful if inhaled.	
STOT-single exposure (STOT SE 3)	H335: May cause respiratory irritation.	

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H271	May cause fire or explosion; strong oxidiser.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23-Oct-2019 Print date: 24-Oct-2019

Version: 2 Page 10/10



ALBILEX-SUPER-des

Hazard statements	
H332	Harmful if inhaled.

16.6. Training advice No data available
16.7. Additional information The data presented here correspond to the present state of our knowledge and experience and are intended to describe our product with respect to possible safety demands. We imply with this however no guarantee of properties or description of qualities.
* Data changed compared with the previous version